



# **OpenReports Installation Guide**

# Version 6.2

Last Updated: 21 June 2016

#### © 2016 OCLC (UK) Ltd

ALL RIGHTS RESERVED. Permission is granted to electronically copy and to print in hard copy portions of this document for training purposes by licensed users of the Amlib Library Management System. Any other uses – including reproduction for purposes other than those noted above, modification, distribution, republication, transmission, re-transmission, modification, or public showing – without the prior written permission of OCLC (UK) Ltd – is strictly prohibited.

#### Support:

Australia: 1300 260 795 (Local call cost in Australia) Email: support-amlib@oclc.org Amlib Help Desk (TOPdesk): https://oclc.topdesk.net/tas/public/login/form OCLC Amlib Support Documentation: https://www.oclc.org/support/services/amlib.en.html

#### Sales:

Australia: 1300 260 795 (Local call cost in Australia)

Fax: +61 (0) 3 9929 0801 Email: <u>sales-amlib@oclc.org</u>

#### www.oclc.org/en-AU/

# TABLE OF CONTENTS

WELCOME
OVERVIEW
BEFORE YOU BEGIN THE INSTALLATION
Read the Installation Notes First
Serial Numbers Required for Installation of Amlib Modules
OPENReports SUPPORTED OPERATING SYSTEMS & SYSTEM REQUIREMENTS
SECTION 1: Pre Requisites
SECTION 2: INSTALL OpenReports
Install OCLC OpenReports
SECTION 3: configure Database connection
APPENDIX A: Installation of Required .NET Components10
APPENDIX B: Installation/Configuration of IIS11
Install IIS with .NET support on Windows Server 201211
Install IIS with .NET support on Windows Server 2008 or 2008 R2
Install IIS with .NET support on Windows 7 and Windows Vista
APPENDIX c: Troubleshooting
Issue 1: Database name Error13
Issue 2: Authorisation Service Connection Error14
Issue 3: Installer fails to install correctly14
Issue 4: Error while trying to connect to Authorisation Service: Credential are invalid

# WELCOME

Welcome to the **OPENReports** Installation Guide.

#### OVERVIEW

The installation of the **Open Reports** involves the following steps:

- 1. Install OPENReports
- 2. Configure Database Connection

**Note**: It can be installed on the Amlib server or a separate server depending whether it's to be for internal use or external use

# **BEFORE YOU BEGIN THE INSTALLATION...**

Before Installing OpenReports you must have upgraded to or installed Amlib 6.1 on your

server.

#### **Read the Installation Notes First**

Please carefully read the entire installation guide prior to commencing the actual **OPENReports** installation.

If you have any questions please log a support call on TOPdesk <a href="https://oclc.topdesk.net/tas/public/login/form">https://oclc.topdesk.net/tas/public/login/form</a>

If you do not know your TOPdesk login please email <u>support-anz@oclc.org</u> and we will send it to you.

# Serial Numbers Required for Installation of Amlib Modules

The **OPENReports** installation requires a Serial key. Your library is covered for installation & use of OPENReports by your Library's Amlib licence. Please contact Amlib Support via Topdesk <u>https://oclc.topdesk.net/tas/public/login/form</u> before commencing the installation to receive this Serial key.

# **OPENREPORTS SUPPORTED OPERATING SYSTEMS & SYSTEM REQUIREMENTS**

Operating System	• Windows Server 2008, 2012
	Windows 7
.Net Framework	• 4.6 or higher including Web Server (IIS) Support and HTTP Activation
IIS	6.0 or later with ASP.net support installed
Java runtime	• 6.0 or later
Memory (RAM)	Minimum 4GB
Hard Disk	Minimum 40GB depending on the size of the catalogue
Browser	IE 10 or higher
	Chrome, Firefox, Opera
JavaScript	Must be activated
Cookies	Must be activated
	Automatic mobile device detection does not work without cookies. When
	cookies are disabled, the site can't store culture information [for example,
	the language that is selected and the date settings] and the login
	information is stored in a way that is considered to be unsafe.

# SECTION 1: PRE REQUISITES

If not installed already you must first install Adobe Acrobat Reader


**IIS** with **ASP.NET** support must also be installed. For information on how to complete this please see **Appendix A and B.** 

#### SECTION 2: INSTALL OPENREPORTS

#### Install OCLC **OpenReports**

OpenReports Software can all be found in the Version 6.2 folder, here under the '<u>Set up Programs'</u> tab in the Amlib support section on the OCLC.org website.

 Run installer <u>OCLC.REPORT.OpenReportsSetup.exe</u> – the installer main view screen will display:




- 2. Select **Options** the options view screen will display
- 3. Enter the **IIS host** name, this should be the host name of the server/computer or if it is only to be accessed via network or a public domain name e.g.: <u>http://library.yourinstitution.com</u>
- Enter the **IIS port** number you have assigned to OPENReports.
  *Note:* if you have instances of NetOPAC or OpenOPAC installed ensure there are no confusion between the port numbers. Each application will need its own port number
- 5. Enter your Serial Key provided by OCLC

IIS Host	localhost
IIS Port	85
Database	SQLSERVER
Serial key	xxxxxx
	Close

6. Select **Close** – the installer main view will display with the option to start the installation process enabled:



- 7. Select Click to start installation....
- 8. On completion of the installation a Complete message is shown on the installer main view:



9. Select Exit to finish the installation

# SECTION 3: CONFIGURE DATABASE CONNECTION

1. Open a browser and enter the OpenReports URL. Enter <u>http:// host name : port number</u> as provided in section 1, step 5for example: <u>http://library.yourinstitution.com:85/</u>

( S ( http://localhost85/Login.aspc?ReturnUrl=%2f P - C ( Log in x)	<b>- ×</b> ∂ ☆ ©
OpenReports	
Log in	Change connection
Please enter your username and password	
Usemame Password	
Password	
Log in	

2. Select the **Change connection** button on the top right-hand corner - the database connection screen will display:

	Database name	Schema name	Connection string	Test
1	S61CAT	dbo	Data Source=localhost;uid=sa;pwd=sa;initial catalog=S61CAT;	🔽 Test
2	S61LIB	dbo	Data Source=localhost;uid=sa;pwd=sa;initial catalog=S61LIB;	🔽 Test
3	S61LOCAL	dbo	Data Source=localhost;uid=sa;pwd=sa;initial catalog=S61LOCAL;	🔽 Test
4	S61STATS	dbo	Data Source=localhost;uid=sa;pwd=sa;initial catalog=S61STATS;	🔽 Test
	1			🔽 Test

- 3. Update the following field:
  - a. Leave the <u>Authorisation Service</u> as default:

Authorisation Service http://localhost:8961/AmlibAuthorisationService Test
--


b. Update each Database connection string line to reflect your database setup:

Database name	Schema name	Connection string	Test
AMCAT	dbo	Data Source=localhost;uid=SYSADM;pwd=SYSADM;initial catalog=AMCAT;	Tes
AMLIB	dbo	Data Source=localhost;uid=SYSADM;pwd=SYSADM;initial catalog=AMLIB;	Tes
AMLOCAL	dbo	Data Source=localhost;uid=SYSADM;pwd=SYSADM;initial catalog=AMLOCAL;	Tes
AMSTATS	dbo	Data Source=localhost;uid=SYSADM;pwd=SYSADM;initial catalog=AMSTATS;	Tes
			V Tes

a. Id: Leave as default
 b. Database Name: Type in Database name
 e.g. AMCAT, AMLIB,AMLOCAL, AMSTATS
 c. Schema Name: Leave as default

d. Connection String:

Data Source=**XXX**;uid=**XXX**;pwd=**XXXX**;initial catalog=**XXX**;



- e. To ensure the database connection string have been entered correctly select the **Test** button.
  - i. On entering the database connection <u>correctly</u> the following message will appear:

🗙 Close 🖹 Save	
Connected successfully to the database	
ii. On entering the database co	nnection <u>in-correctly</u> the following

🗙 Close 🕒 Save	
Database name is invalid	


See: <u>Issue 1: Database name Error</u> for resolution

- 4. If all database connection string have been tested correctly select the Save button
- 5. Select the **Close** button to complete the setup


#### APPENDIX A: INSTALLATION OF REQUIRED .NET COMPONENTS

#### Windows Server 2012

- 1. On the Start page > Select Server Manager Tile > Select OK.
- 2. In Server Manager > select Dashboard > Select > Add roles and features.
- 3. In the Add Roles and Features Wizard [on the Before you begin page] > Select Next.
- On the Select installation type page > select Role-based or feature-based installation > Select Next.
- 5. On the Select destination server page > select a server from the server pool > select your server > Select Next.
- 6. On the **Select server roles** page, expand **Application Server** and ensure the following is installed:



7. On the next page make sure the following are installed:



Confirm and finalise installation, please note that you may require the Windows Server 2012 installation media to complete this installation

#### Windows Server 2008

Please run the .NET installer provided with the OpenOPAC installers.

# APPENDIX B: INSTALLATION/CONFIGURATION OF IIS

#### Install IIS with .NET support on Windows Server 2012

- 1. On the **Start** page > Select the **Server Manager** Tile > Select **OK**.
- 2. In Server Manager > Select Dashboard > Select Add roles and features.
- 3. In the Add Roles and Features Wizard, [on the before you begin page] > Select Next.
- On the Select installation type page > Select Role-based or feature-based installation > Select Next.
- On the Select destination server page, select > Select a server from the server pool, > select your server > Select Next.
- 6. On the Select server roles page > select Web Server (IIS) > Select Next.
- 7. On the **Select features** page > Select **Next**.
- 8. On the Web Server Role (IIS) page > Select Next.
- On the Select role services page, note the preselected role services that are installed by default, expand the Application Development node, and then > select ASP.NET 4.5. (If you installed .NET 3.5, select ASP.NET 3.5 also.)
- 10. On the **Summary of Features to install** page, confirm your selections, and then > Select **Install**.
- 11. In the Add features that are required for ASP.NET 4.5? box > Select Add Features.The following additional features are added:
- 12. .NET Extensibility 4.5
- 13. ISAPI Extensions
- 14. ISAPI Filters
- 15. .NET Extensibility 3.5 (If ASP.NET 3.5 was selected)
- 16. > Select Next.
- 17. On the Confirm installation selections page > Select Install.
- 18. On the **Installation progress** page, confirm that your installation of the Web Server (IIS) role and required role services completed successfully, and then > select **Close**.
- 19. To verify that IIS installed successfully, type the following into a web browser:

#### http://localhost

The default IIS Welcome page is displayed.

# Install IIS with .NET support on Windows Server 2008 or 2008 R2

- 1. Select Start > Administrative Tools > Select Server Manager.
- 2. In Roles Summary > Select Add Roles.
- 3. Use the Add Roles Wizard to add the Web server role.
- 4. On the **Select Role Services** page, note the preselected role services that are installed by default, and then select the following additional role services:
  - ASP.NET
  - .NET Extensibility
  - Request Filtering
  - o **ISAPI**
  - ISAPI Extensions
- 5. On the **Summary of Features to install** page, confirm your selections > Select **Install**.
- 6. On the **Installation Results** page, confirm that your installation of the Web Server (IIS) role and required role services completed successfully > select **Close**.
- To verify that IIS installed successfully, type the following into a Web browser: http://localhost
   You should see the default IIS Welcome page

You should see the default IIS Welcome page.

# Install IIS with .NET support on Windows 7 and Windows Vista

- 1. Select **Start** > Select **Control Panel**.
- 2. In Control Panel > Select Programs > Select Turn Windows features on or off.
- 3. In the **Windows Features** dialog box, Select **Internet Information Services** to install the default features, and then select the following additional features:
  - ASP.NET
  - .NET Extensibility
  - Request Filtering
  - o **ISAPI**
  - ISAPI Extensions
- 4. Select **OK** to close the **Windows Features** dialog box.
- To verify that IIS installed successfully, type the following into a Web browser: http://localhost

You should see the default IIS Welcome page.

# **APPENDIX C: TROUBLESHOOTING**

#### Issue 1: Database name Error



**Resolution:** The above message indicate either the database name and/or connection string have been defined incorrectly.

Please verify the database name specified by checking the SQL.ini file inside your /Amlib folder on your server. *The below <u>example</u> of the SQL.ini file indicate that the correct database name which are:* <u>AM6CAT, AM6LIB, AM6LOCAL, AM6STATS & AM6WEB</u> that need to be entered into the 'Connection Settings' under the Database name field, and <u>huynhpme</u> needs to be entered into the connection string field:

[Odbertr]					
; The following is for the ODBC / SQLServer router. The DSN keyword will					
; be the same as the System Data Source setup in the ODBC32 setup					
; in Control Panel					
longbuffer=20000					
REMOTEDBNAM = AM6CAT, DRIVER=SQL Server: SERVER=huynhpme\SQLEXPRESS; DATABASE=AM6CAT					
REMOTEDBNAM = AM6LIB, DRIVER=SQL Server: SERVER=huynhpme\SQLEXPRESS; DATABASE=AM6LIB					
REMOTEDBNAM = AM6LOCAL, DRIVER=SQL Server; SERVER=huynhpme\SQLEXPRESS; DATABASE=AM6LOCAL					
REMOTEDBNAM = AM6STATS, DRIVER=SQL Server; SERVER=huynhpme\SQLEXPRESS; DATABASE=AM6STATS					
REMOTEDBNAM <b>= AM6WEB, D</b> RIVER=SQL Server: SERVER=huynhpme\SQLEXPRESS; DATABASE=AM6WEB					

ld	Database name	Schema name	Connection string Test
1	AM6CAT	dbo	Data Source =huynpme uid=SYSADM;pwd=SYS,
2	AM6LIB	dbo	Data Source =huynpme uid=SYSADM;pwd=SYS,
3	AM6LOCAL	dbo	Data Source =huynpme uid=SYSADM;pwd=SYS,
4	AM6STATS	dbo	Data Source =huynpme uid=SYSADM;pwd=SYS,

# Issue 2: Authorisation Service Connection Error



**Resolution:** The above message indicate that database name specified inside the 'Connection Settings' screen contains invalid characters.

Please verify the database name specified by checking the SQL.ini file inside your /Amlib folder on your server. The below <u>example</u> of the SQL.ini file indicate that the correct database name which are: <u>AM6CAT, AM6LIB, AM6LOCAL, AM6STATS & AM6WEB</u> that need to be entered into the 'Connection Settings' screen

F [Odbertr]						
; The following is for the ODBC / SQLServer router. The DSN keyword will						
; be the same as the System Data Source setup in the ODBC32 setup						
; in Control Panel						
longbuffer=20000						
REMOTEDBNAM <mark>E=AM6CAT,D</mark> RIVER=SQL Server;SERVER=huynhpme\SQLEXPRESS;DATABASE=AM6CAT						
REMOTEDBNANE=AM6LIB,DRIVER=SQL Server;SERVER=huynhpme\SQLEXPRESS;DATABASE=AM6LIB						
REMOTEDBNANE=AM6LOCAL, DRIVER=SQL Server; SERVER=huynhpme\SQLEXPRESS; DATABASE=AM6LOCAL						
REMOTEDBNAN <mark>E=AM6STATS</mark> ,DRIVER=SQL Server;SERVER=huynhpme\SQLEXPRESS;DATABASE=AM6STATS						
REMOTEDBNAM <mark>E=AM6WEB,D</mark> RIVER=SQL Server;SERVER=huynhpme\SQLEXPRESS;DATABASE=AM6WEB						

**Issue 3:** Installer fails to install correctly – please send the installer log file to the Amlib support staff.

**Resolution:** Please Log a Topdesk call for assistance <u>https://oclc.topdesk.net/tas/public/login/form</u> And attach the log files created during the install process that you will find here: C:\Users\username\AppData\Local\Temp\OpenReports\_201606xxxxxxx.log Issue 4: Error while trying to connect to Authorisation Service: Credential are invalid.

OpenReports	
Log in Please enter your username and password Error while trying to connect to AuthorisationService: Credentials are invalid.	
Username janet	
Password	

**Resolution:** The above message indicate that either the username and/or password entered are incorrect.

Please log into Amlib Client and go to **Main>Supervisor>Username**, and verify that the username exists within the '*Username*' table and also password assigned is correct.

				F5 Query			F8 Choose F9			
		User I	Name			Loca	tion	Circ at this ocation Only (Y/N)	Level	^
JAS					BRIM			Y	100	
OP	AC				MOBILE			Y	10	
PET	ER				CHELSEA			 Y	100	
STA					CHELSEA			 N	50	

Please refer to the Amlib User Names Guide available on the OCLC website on how to add new & update existing login within Amlib.

(https://www.oclc.org/support/services/amlib/documentation/how-to-guides-documentation/supervisor.en.html)